


Goldstein et al.
Application Serial No. 10/066,040
Page 2

CLAIM LISTING

1. (Previously presented) A compound selected from the group of compounds represented by Formula (I):



wherein:

R¹ is hydrogen or acyl;

R² is hydrogen or alkyl;

A and B are simultaneously an aryl or a heteroaryl ring;

R³ is selected from the group consisting of:

- (a) optionally substituted heterocyclyl;
- (b) heteroalkenyl;
- (c) heteroalkynyl;
- (d) optionally substituted heterocyclalkyl;
- (e) optionally substituted heterocyclalkenyl;
- (f) optionally substituted heterocyclalkynyl;
- (g) optionally substituted heterocyclalkoxy, cycloxy or heterocycloxy;
- (h) optionally substituted heterocyclalkylamino;
- (i) optionally substituted heterocyclalkylcarbonyl;
- (j) -Y-(alkylene)-R⁹ where:

Y is a single bond, -O-, -NH- or -S(O)_n- (where n is an integer from 0 to 2); and

BEST AVAILABLE COPY

Goldstein et al.
Application Serial No. 10/066,040
Page 3

R^9 is cyano, optionally substituted heteroaryl, $-\text{COOH}$, $-\text{COR}^{10}$, $-\text{CONR}^{12}\text{R}^{13}$, $-\text{SO}_2\text{R}^{14}$, $-\text{SO}_2\text{NR}^{15}\text{R}^{16}$, $-\text{NHSO}_2\text{R}^{17}$ or $-\text{NHSO}_2\text{NR}^{18}\text{R}^{19}$, where R^{10} is optionally substituted heterocycle, and R^{12} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} , R^{18} and R^{19} are, independently of each other, hydrogen, alkyl or heteroalkyl;

- (k) $-\text{C}(=\text{NR}^{20})(\text{NR}^{21}\text{R}^{22})$ where R^{20} , R^{21} and R^{22} independently represent hydrogen, alkyl or hydroxy, or R^{20} and R^{21} together are $(\text{CH}_2)_n-$ where n is 2 or 3 and R^{22} is hydrogen or alkyl;
- (l) $-\text{NHC}(\text{X})\text{NR}^{23}\text{R}^{24}$ where X is $-\text{O}-$ or $-\text{S}-$, and R^{23} and R^{24} are, independently of each other, hydrogen, alkyl or heteroalkyl;
- (m) $-\text{CONR}^{25}\text{R}^{26}$ where R^{25} and R^{26} independently represent hydrogen, alkyl, heteroalkyl or optionally substituted heterocyclylalkyl, or R^{25} and R^{26} together with the nitrogen to which they are attached form an optionally substituted heterocyclyl ring;
- (n) cycloalkylalkyl and cycloalkylalkynyl, all optionally substituted with alkyl, halo, hydroxy or amino;
- (o) arylaminoalkylene or heteroarylaminomalkylene;
- (p) $\text{Z-alkylene-NR}^{30}\text{R}^{31}$ or $\text{Z-alkylene-OR}^{32}$ where Z is $-\text{O}-$, and R^{30} , R^{31} and R^{32} are independently of each other, hydrogen, alkyl or heteroalkyl;
- (q) $-\text{OC}(\text{O})\text{-alkylenc-CO}_2\text{H}$ or $-\text{OC}(\text{O})\text{-NR}'\text{R}''$ (where R' and R'' are independently hydrogen or alkyl);
- (r) heteroarylalkenylene or heteroarylalkynylene; and
- (s) heteroalkylamino;

R^4 is selected from the group consisting of:

- (a) hydrogen;
- (b) halo;
- (c) alkyl;
- (d) alkoxy; and

Goldstein et al.
Application Serial No. 10/066,040
Page 4

(e) hydroxy;

R^5 is selected from the group consisting of:

- (a) hydrogen;
- (b) halo;
- (c) alkyl;
- (d) haloalkyl;
- (e) thioalkyl;
- (f) hydroxy;
- (g) amino;
- (h) alkylamino;
- (i) dialkylamino;
- (j) heteroalkyl;
- (k) optionally substituted heterocycle;
- (l) optionally substituted heterocyclalkyl;
- (m) optionally substituted heterocyclalkoxy;
- (n) alkylsulfonyl;
- (o) aminosulfonyl, mono-alkylaminosulfonyl or di-alkylaminosulfonyl;
- (p) heteroalkoxy; and
- (q) carboxy;

R^6 is selected from the group consisting of:

- (a) hydrogen;
- (b) halo;
- (c) alkyl; and
- (d) alkoxy; and

prodrugs, individual isomers, mixtures of isomers and pharmaceutically acceptable salts thereof.

2. (Currently Amended) The compound of Claim 1 wherein R^3 is:

- (a) optionally substituted heterocyclalkyl;

Goldstein et al.
Application Serial No. 10/066,040
Page 5

- ~~(h) aryl or heteroaryl optionally substituted with a substituent selected from halo, alkyl, amino, alkoxy, carboxy, lower alkoxy carbonyl, SO_2R^2 (where R^2 is alkyl) or $\text{SO}_2\text{NHR}^2\text{R}^2$ (where R^2 and R^2 are independently hydrogen or alkyl);~~
- (eb) heteroalkenyl;
- (ec) heteroalkylamino;
- (ed) optionally substituted heterocyclalkyl or heterocyclalkoxy;
- (ef) optionally substituted heterocyclalkenyl;
- (gf) optionally substituted heterocyclalkynyl;
- (hg) optionally substituted heterocyclalkoxy;
- (ih) optionally substituted heterocyclalkylamino;
- (ji) optionally substituted heterocyclalkylcarbonyl;
- (kl) $\text{Y}-(\text{alkylene})-\text{R}^9$ where Y is a single bond -O- or -NH- and R^9 is optionally substituted heteroaryl, $-\text{CONR}^{12}\text{R}^{13}$, SO_2R^{14} , $-\text{SO}_2\text{NR}^{15}\text{R}^{16}$, $-\text{NHSO}_2\text{R}^{17}$ or $-\text{NHSO}_2\text{NR}^{18}\text{R}^{19}$ where R^{12} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} , R^{18} and R^{19} are independently of each other hydrogen, alkyl or heteroalkyl,
- (lm) cycloalkylalkyl, and cycloalkylalkynyl, all optionally substituted with alkyl, halo, hydroxy or amino;
- (mn) arylaminoalkylene or heteroarylaminoalkylene; or
- (no) $\text{Z-alkylene-NR}^{30}\text{R}^{31}$ where Z is -O-, and R^{30} and R^{31} are independently of each other, hydrogen, alkyl or heteroalkyl.


3. (Original) The compound of Claim 2 wherein R^1 and R^2 are hydrogen; and B is phenyl.
4. (Original) The compound of Claim 3 wherein A is phenyl.
5. (Original) The compound of Claim 4 wherein R^4 is hydrogen; and R^5 is halo or alkyl.

Goldstein et al.

Application Serial No. 10/066,040

Page 6

6. (Original) The compound of Claim 5 wherein R^5 is chloro, fluoro or methyl; and R^6 is hydrogen, chloro, fluoro, methyl or methoxy.
7. (Canceled)
8. (Canceled)
9. (Currently Amended) The compound of Claim 86, wherein R^3 is at the 3-position.
10. (Original) The compound of Claim 9, wherein R^5 is 4-F and R^6 is hydrogen.
11. (Original) The compound of Claim 9, wherein R^5 is 2-Me and R^6 is hydrogen.
- 12-15. (Canceled)
16. (Previously presented) A compound selected from the group of compounds represented by the Formula:



wherein:

R^5 is halo or alkyl; and

R^3 is:

- (a) heteroalkylamino;
- (b) optionally substituted heterocyclalkyl;

Goldstein et al.

Application Serial No. 10/066,040

Page 7

- (c) optionally substituted heterocyclalkoxy;
- (d) optionally substituted heterocyclalkylamino;
- (e) -Y-(alkylene)-R⁹ where Y is a single bond, -O- or -NH- and R⁹ is optionally substituted heteroaryl, -CONR¹²R¹³, SO₂R¹⁴, -SO₂NR¹⁵R¹⁶, -NHSO₂R¹⁷ or -NHSO₂NR¹⁸R¹⁹ where R¹², R¹³, R¹⁴, R¹⁵, R¹⁶, R¹⁷, R¹⁸ and R¹⁹ are independently of each other hydrogen, alkyl or heteroalkyl; or
- (f) Z-alkylene-NR³⁰R³¹ where Z is -O-, and R³⁰ and R³¹ are independently of each other, hydrogen, alkyl or heteroalkyl;
- (g) pyridinyl, N-oxidopyridinyl or pyridonyl; or
- (h) sulfamoylphenyl, methylsulfonylphenyl, carboxyphenyl or ethoxycarbonylphenyl; and

prodrugs, individual isomers, mixtures of isomers and pharmaceutically acceptable salts thereof.

17-21. (Canceled)

22. (Previously Presented) The compound of Claim 16, wherein R³ is heteroalkylamino.

23. (Previously presented) The compound of Claim 22, wherein R³ is at the 3-position and is selected from the group consisting of 2-dimethylaminoethylamino and 3-dimethylaminopropylamino.

24. (Canceled)

25. (Original) The compound of Claim 16, wherein R³ is optionally substituted heterocyclalkyl, optionally substituted heterocyclalkoxy or optionally substituted heterocyclalkylamino.


26. (Original) The compound of Claim 25, wherein R³ is at the 3-position and is selected from the group consisting of 3-(morpholin-4-yl)propoxy, 2-(morpholin-4-yl)ethoxy, 2-(2-

Goldstein et al.
Application Serial No. 10/066,040
Page 8

oxo-pyrrolidin-1-yl)ethoxy, 3-(morpholin-4-yl)propyl, 2-(morpholin-4-yl)ethyl, 4-(morpholin-4-yl)butyl, 3-(morpholin-4-yl)propylamino, 2-(morpholin-4-yl)ethylamino, 4-hydroxypiperidinylmethyl, 2-(S,S-dioxo-thiamorpholin-4-yl)ethyl, 3-(S,S-dioxo-thiamorpholin-4-yl)propyl and N-methylpiperazinylmethyl.

27. (Canceled)
28. (Original) The compound of Claim 16 wherein R^3 is $-Y-(alkylene)-R^9$ where Y is a single bond, $-O-$ or $-NH-$ and R^9 is optionally substituted heteroaryl, $-CONR^{12}R^{13}$, SO_2R^{14} , $-SO_2NR^{15}R^{16}$, $-NHSO_2R^{17}$ or $-NHSO_2NR^{18}R^{19}$ where R^{12} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} , R^{18} and R^{19} are independently of each other hydrogen, alkyl or heteroalkyl.
29. (Original) The compound of Claim 28, wherein Y is a single bond and R^9 is SO_2R^{14} or $-SO_2NR^{15}R^{16}$.
30. (Original) The compound of Claim 29 wherein R^3 is methylsulfonyl ethyl or sulfamoyl ethyl.
31. (Canceled)
32. (Original) A pharmaceutical composition comprising a therapeutically effective amount of a compound of Claim 1 and a pharmaceutically acceptable excipient.
- 33-38. (Canceled)
39. (Previously presented) A compound selected from the group of compounds represented by Formula (I):

Goldstein et al.
Application Serial No. 10/066,040
Page 9



wherein:

A and B are simultaneously an aryl or a heteroaryl ring;

R¹ is hydrogen or acyl;

R² is hydrogen or alkyl;

R³ is:

- (a) heteroalkylamino;
- (b) optionally substituted heterocyclalkyl;
- (c) optionally substituted heterocyclalkoxy;
- (d) optionally substituted heterocyclalkylamino;
- (e) -Y-(alkylene)-R⁹ where Y is a single bond, -O- or -NH- and R⁹ is optionally substituted heteroaryl, -CONR¹²R¹³, SO₂R¹⁴, -SO₂NR¹⁵R¹⁶, -NHSO₂R¹⁷ or -NHSO₂NR¹⁸R¹⁹ where R¹², R¹³, R¹⁴, R¹⁵, R¹⁶, R¹⁷, R¹⁸ and R¹⁹ are independently of each other hydrogen, alkyl or heteroalkyl; or
- (f) Z-alkylene-NR³⁰R³¹ where Z is -O-, and R³⁰ and R³¹ are independently of each other, hydrogen, or alkyl;
- (g) pyridinyl, N-oxidopyridinyl or pyridonyl; or
- (h) sulfamoylphenyl, methylsulfonylphenyl, carboxyphenyl or ethoxycarbonylphenyl;

R⁴ is selected from the group consisting of:

- (a) hydrogen;
- (b) halo;
- (c) alkyl;
- (d) alkoxy; and

Goldstein et al.

Application Serial No. 10/066,040

Page 10

(e) hydroxy;

R^5 is selected from the group consisting of:

- (a) hydrogen;
- (b) halo;
- (c) alkyl;
- (d) haloalkyl;
- (e) thioalkyl;
- (f) hydroxy;
- (g) amino;
- (h) alkylamino;
- (i) dialkylamino;
- (j) heteroalkyl;
- (k) optionally substituted heterocycle;
- (l) optionally substituted heterocyclalkyl;
- (m) optionally substituted heterocyclalkoxy;
- (n) alkylsulfonyl;
- (o) aminosulfonyl, mono-alkylaminosulfonyl or di-alkylaminosulfonyl;
- (p) heteroalkoxy; and
- (q) carboxy;

R^6 is selected from the group consisting of:

- (a) hydrogen;
- (b) halo;
- (c) alkyl; and
- (d) alkoxy; and

prodrugs, individual isomers, mixtures of isomers and pharmaceutically acceptable salts thereof.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.